

MATERIAL SAFETY DATA SHEET

SECTION I- IDENTIFICATION

Trade Name: Vytex® Natural Rubber Latex (NRL)
Chemical Name: Centrifuged High Ammonia Natural Rubber Latex
Use: For adhesives and a wide range of cast and dipped latex products.
Company: Vystar® Corporation
 2480 Briarcliff Rd NE, #6
 Suite 159
 Atlanta, GA 30329 USA
CAS Number: 9003-31-0 (for polymer)
Phone: +1 770-965-0383
Date Prepared: January 4, 2010

SECTION II- HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components (Chemical & Common Name)	Wt.	CAS No.	OSHA PEL	ACGIH TLV
Ammonium Hydroxide:	<1.60	1336-21-6	---	---
Ammonia	---	7664-41-7	50 ppm	25 ppm
Ammonia generated from ammonium hydroxide exists in vapor space above latex				
Aluminum Hydroxide:	0-0.1%	21645-51-2	---	---

SECTION III- PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 100°C
Specific Gravity (H2O=1): 0.95 – 0.96
Vapor Pressure (mm Hg): 760 mm Hg for the water phase
Vapor Density (Air=1): Approximately equal water
Melting Point: NA
Freezing Point: 0°C
Solubility in Water: Dispersible
Percent Volatile by Volume:
Evaporation Rate: NA
Appearance and Odor: White, Milky Liquid/Ammonia Odor

SECTION IV- FIRE AND EXPLOSION HAZARD DATA

Flash Point (method): NA
Flammable Limits: LEL-NA UEL-NA
Fire Extinguisher Type: Extinguishing Powder or Water Jet, Alcohol Resistant Foam or Carbon Dioxide
Fire/Explosion Hazards: Raw natural liquid latex is not considered to be a fire/explosion hazard
Fire Fighting Procedure: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and clothing.
Unusual Fire and Explosion Hazards: Raw natural liquid latex does not contain any antioxidants; unprotected latex, if allowed to dry, may smolder and eventually ignite. Combustion by-products: oxides of carbon
NFPA Rating: Health - 2 Fire - 0 Reactivity - 0
 Hazard Rating: 0= Insignificant 2= Moderate 3= High 4= Extreme

SECTION V- REACTIVITY DATA

Stability: Stable
Conditions to Avoid: NA
Incompatibility (materials to avoid): Acids/Salts cause coagulation

Hazardous Decomposition or By-Products: Ammonia (when liquid); Oxides of Carbon by combustion (when dry and unprotected)

Hazardous Polymerization: Will not occur

SECTION VI – HEALTH HAZARD DATA

NIOSH Alert (No. 97-135, June 1997): Workers exposed to latex gloves and other products containing natural latex may develop allergic reactions such as skin rashes; hives; nasal, eye, or sinus symptoms; asthma; and (rarely) shock.

Health Hazards

(Acute and Chronic): Ammonia vapors may cause burning eyes, runny nose, coughing and possibly chest pain.

Emergency and First Aid Procedures

Skin: Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persist, seek medical attention

Eyes: Wash eyes with plenty of water for at least 15 minutes, lifting lids occasionally. Seek medical aid.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Ingestion: Latex will coagulate in digestive tract. Do not induce vomiting; consult physician immediately. Never give anything by mouth to an unconscious person.

SECTION VII – PRECAUTIONS FOR SAFE HANDLING AND USE

Procedures: Flush small/minor spills with water. Large spills should be contained and coagulated with calcium chloride or similar material. An absorbent material may also be used. After coagulation/absorption, shovel into appropriate container for disposal.

Waste Disposal

Methods: Coagulate and dispose of solid material in accordance with local regulations for disposal of non-hazardous waste.

Handling: Avoid breathing vapors. Use with adequate ventilation. Avoid contact with eyes, skin and clothes. Wash thoroughly after handling. Avoid smoking and ensure good ventilation. Wear goggles and gloves.

Storage: Keep away from heat and ignition sources. Keep container closed. Avoid storing in open vessels. Store indoor at between 10°C (50° F) and 30°C (86° F). Avoid excessive heat and cold; avoid freezing.

SECTION VIII - EXPOSURE CONTROLS & PERSONAL PROTECTION

Respiratory Protection: Ammonia Cartridge respirator in confined spaces.

Hand Protection: Gloves to prevent skin exposure, neoprene, latex or nitrile

Ventilation: Local exhaust

Eye Protection: Face shield, safety glasses or splash goggles

Other Protective Equipment: Wear appropriate clothing to prevent skin exposure. Any area of the body which has come into contact with this product should be washed with soap and water.

The information contained herein is based on data considered to be accurate and has been obtained from outside companies and organizations. Vystar Corporation makes no warranty or representation that the information is accurate, complete or representative and the Buyer may rely or use this information at the Buyer's own risk. This data does not modify, amend or enlarge any specification or warranty.



Created by Nature. Recreated by Science.®

Vystar Corporation • 2484 Briarcliff Rd NE, #22, Suite 159 • Atlanta, GA 30329 USA • V +1 770.965.0383 • Vytex.com
Vystar®, Vytex® and related marks are Registered Trademarks of Vystar Corporation, Atlanta, GA, USA.

September 2015